



A/C-83 — Head Mounted Display for PinS procedures

Head Mounted Display provides "eyes-out" the information that can be used to facilitate safe flying along the PinS procedure (take-off and approach), facilitating the transition from instrument phase to visual phase (for "proceed visually" PinS) or from IFR to VFR (for "proceed VFR" PinS) and vice-versa, and reducing pilot workload.

Category SYSTEM

Stakeholder **Airspace User**
Civil
Civil Business Aviation-Rotorcraft

V3 End 30-09-2019

V4 Start 30-09-2021

V5 Start 30-09-2023

V4 End 30-09-2023

V5 End 30-09-2023

Airspace User: 30-09-2023

Civil


Civil Business Aviation-Rotorcraft:
30-09-2023

IOC 30-09-2023

FOC 30-09-2029

Context

Related Elements



OI Operational Improvement Steps

Code	Benefits start date (IOC) - Full benefit date (FOC)																									
	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	32	33	34	35	36	37	38	39	40
A/C-83					▲			V4		IOC - FOC																
→ AOM-0104-B																										

EN Dependent Enablers: No associated data

PCP PCP Elements: No associated data

STK Stakeholders

Code	Title	Related Elements
AU	Airspace User	EN
AU-CIV-BA-R	Civil Business Aviation-Rotorcraft	EN

 Standards: No associated data

OBJ Implementation Objectives: No associated data

Stakeholder Lines of Action (SLoAs): No associated data

PJ SESAR Workpackages: No associated data