

SESAAR		Active					ECAC+	
FCM03		Collaborative Flight Planning						
REG	ASP	MIL	APO	USE	INT	IND	NM	

## Subject matter and scope

Improve collaboration between the NM, ANSPs, airports and airspace users in flight plan (FP) filing, in particular to assist airspace users in filing their FPs and in re-routings according to the airspace availability and ATFM situation.

The ATC flight plan (AFP) messages sent to the NM serve purpose of:

- Enabling NM to provide ATC Units with more accurate FP information, improving their traffic situation awareness and reducing the workload caused by last minute updates or missing FPs.
- Updating the ETFMS with FP information in order to reflect as accurately as possible the current and future flight trajectories, providing accurate sector load calculations.

**NOTE FOR MILITARY AUTHORITIES:** It is the responsibility of each military authority to review this Objective IN ITS ENTIRETY and address each of the SLoAs that the military authority considers RELEVANT for itself. This has to be done on top and above of the review of "MIL" SLoAs which identify actions EXCLUSIVE to military authorities.

## Applicability Area(s) & Timescale(s)

<b>Applicability Area</b>	All ECAC+ States		
<b>Timescales:</b>	<b>From:</b>	<b>By:</b>	<b>Applicable to:</b>
Initial operational capability	01/01/2000		Applicability Area
Full operational capability		31/12/2017	Applicability Area

## References

### European ATM Master Plan

OI step -	<a href="#">[IS-0102]-Improved Management of Flight Plan After Departure</a>						
Enablers -	NIMS-02	NIMS-20 FCM06	PRO-005				
Legend:	WXYZ-001	Covered by SLoA(s) in this objective	WXYZ-002 zzz	Covered by SLoA(s) in another objective Objective covering the enabler	WXYZ-003	Not covered in the Implementation Plan	

### Applicable legislation

-none-

### Essential Operational Changes

- none -

### SESAAR Solution

### ICAO GANP ? ASBUs

B0-NOPS	Improved Flow Performance through Planning based on a Network-Wide view
---------	---

### Deployment Programme

- none -

### European Plan for Aviation Safety

- none -

### Operating Environments

<b>FCM03</b>	<b>Collaborative Flight Planning</b>
--------------	--------------------------------------

Airport  
En-Route  
Network  
Terminal Airspace

### Stakeholder Lines of Action (SLoAs)

SLoA ref.	Title	From	By
<b>FCM03-ASP01</b>	Provide flight plan message processing in ICAO format	<b>FINALISED</b>	
<b>FCM03-ASP02</b>	Automatically process FPLs derived from RPLs	<b>FINALISED</b>	
<b>FCM03-ASP03</b>	Provide flight plan message processing in ADEXP format	01/12/1997	31/12/2012
<b>FCM03-ASP04</b>	Processing of APL and ACH messages	<b>FINALISED</b>	
<b>FCM03-ASP05</b>	Automatically provide AFP for missing flight plans	01/03/1998	31/12/2017
<b>FCM03-ASP06</b>	Automatically provide AFP message for change of route	01/03/2003	31/12/2017
<b>FCM03-ASP07</b>	Automatically provide AFP message for a diversion	01/03/2008	31/12/2017
<b>FCM03-ASP08</b>	Automatically provide AFP message for a change of flight rules or flight type	01/03/2003	31/12/2017
<b>FCM03-ASP09</b>	Automatically provide AFP message for a change of requested cruising level	01/03/2003	31/12/2017
<b>FCM03-ASP10</b>	Provide AFP messages in ADEXP format	<b>DELETED</b>	
<b>FCM03-ASP11</b>	Use IFPLID in all messages to ETFMS	<b>DELETED</b>	
<b>FCM03-ASP12</b>	Use IFPLID in exchange of route-charge data	<b>DELETED</b>	
<b>FCM03-ASP13</b>	Automatically provide AFP message for change of aircraft type	01/03/2003	31/12/2017
<b>FCM03-ASP14</b>	Automatically provide AFP message for change of aircraft equipment	01/03/2008	31/12/2017
<b>FCM03-NM01</b>	Integration of Automatic AFP in NM systems	01/01/2010	31/12/2017

Description of finalised and deleted SLoAs is available on the eATM Portal @ [https://www.eatmportal.eu/working/depl/essip\\_objectives](https://www.eatmportal.eu/working/depl/essip_objectives)

### Expected Performance Benefits

<b>Safety:</b>	Prevention of overloads.
<b>Capacity:</b>	Better use of the available network capacity hence reducing delays.
<b>Operational Efficiency:</b>	A better traffic prediction will enhance traffic smoothing allowing less 'unnecessary' actions to be taken. Earlier awareness of the updated traffic situation will permit the flow management positions to consider and implement remedial actions to reduce the impact of the measures taken to accommodate the traffic. From the perspective of the airspace users, better traffic prediction will provide improved ability to maintain accurate estimated off-block times (EOBTs) for the return and subsequent legs for a flight/aircraft.
<b>Cost Efficiency:</b>	-
<b>Environment:</b>	-
<b>Security:</b>	-

### Detailed SLoA Descriptions

<b>FCM03-ASP01</b>	<b>Provide flight plan message processing in ICAO format</b>	From: 01/03/1995	By: 31/12/1995
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Receive and automatically process IFPS output of all ICAO-defined flight plan messages for input into the local ATC systems. This excludes FPLs derived from RPLs (see also FCM03-ASP02).  <i>Note :Processing of IFPS output without manual intervention. The SLoA can be considered as not applicable if the amount of IFR/GAT traffic does not justify automation.</i>		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Finalisation criteria:</b>	1 - Automatic processing of flight plan messages in ICAO format has been implemented.		

<b>FCM03</b>	<b>Collaborative Flight Planning</b>
--------------	--------------------------------------

<b>FCM03-ASP02</b>	<b>Automatically process FPLs derived from RPLs</b>	<b>From:</b>	<b>By:</b>
		01/03/1995	31/12/1995
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Receive and automatically process IFPS output derived from RPL to suppress the need for RPL bulk-output from IFPS.		
	<i>Note :No longer requiring RPL bulk-output or transmission of FPLs derived from RPLs by the NM. The SloA can be considered as not applicable if the amount of IFR/GAT traffic does not justify automation.</i>		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Finalisation criteria:</b>	1 - Automatic processing of FPLs derived from RPLs has been implemented.		

<b>FCM03-ASP03</b>	<b>Provide flight plan message processing in ADEXP format</b>	<b>From:</b>	<b>By:</b>
		01/12/1997	31/12/2012
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Receive and automatically process IFPS output of all defined flight plan messages for input into local ATC systems in ADEXP format in line with ICAO State Letter (AN 13/2.1-08/50) - 25 June 2008. Impact of Flight Plan 2012 changes: The basic flight plan form and the field composition within the FPL message remains unchanged, but the content of some fields will change. - changes to indications in Items 10 and 18 (including the use of digits) describing the precise NAV/COM/SUR capabilities of the flight - the ability to file a FPL up to 5 days (120 hours) before the flight, using the Date of Flight (DOF) in Item 18 - addition of new Item 18 indicators and changes to the contents of several existing indicators. - a change to the description of a significant point which may now be described by range and bearing The field composition within associated messages (CHG, DEP, CNL, ARR, RQP) will change to include the EOBT and Item 18 DOF/ thus ensuring association to the correct FPL.		
	<i>Note :All national ATC systems that receive flight plan data from IFPS receive and process the data in ADEXP format. The SloA can be considered as not applicable if the amount of IFR/GAT traffic does not justify automation.</i>		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>		
<b>Finalisation criteria:</b>	1 - ATC system is able to receive and process flight plan data from IFPS in ADEXP format.		

<b>FCM03-ASP04</b>	<b>Processing of APL and ACH messages</b>	<b>From:</b>	<b>By:</b>
		01/12/1997	31/12/1999
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Process automatically, in the local ATC systems, real time updates to flight plan information as provided by IFPS via APL and ACH messages.		
	<i>Note :The SLoA may be implemented as a manual processing if the amount of IFR/GAT traffic does not justify automation.</i>		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Finalisation criteria:</b>	1 - Processing of APL and ACH messages by the ANSP has been implemented.		

<b>FCM03-ASP05</b>	<b>Automatically provide AFP for missing flight plans</b>	<b>From:</b>	<b>By:</b>
		01/03/1998	31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message. Provide the AFP in case an IFR-GAT flight exists but no IFPL has been received from IFPS. The related AFP message can be sent in either ICAO or ADEXP format.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision . reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Reception of AFP messages by NM has been ensured.		

<b>FCM03-ASP06</b>	<b>Automatically provide AFP message for change of route</b>	<b>From:</b>	<b>By:</b>
		01/03/2003	31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		

<b>FCM03</b>	<b>Collaborative Flight Planning</b>
--------------	--------------------------------------

<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message; provide the AFP in case of a change of route where the exit point from the flight data processing area (FDPA) has changed. The related AFP message must be provided in ADEXP format only.
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for route changes by the ANSP has been implemented.

<b>FCM03-ASP07</b>	<b>Automatically provide AFP message for a diversion</b>	<b>From:</b>	<b>By:</b>
		01/03/2008	31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message; provide the AFP in case of a diversion. The related AFP message must be provided in ADEXP format only.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for diversions by the ANSP has been implemented.		

<b>FCM03-ASP08</b>	<b>Automatically provide AFP message for a change of flight rules or flight type</b>	<b>From:</b>	<b>By:</b>
		01/03/2003	31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message; provide the AFP in case of a change of flight rules from VFR to IFR, or IFR to VFR, or a change of flight type from OAT to GAT, or GAT to OAT.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for changes of flight rules and flight types by the ANSP has been implemented.		

<b>FCM03-ASP09</b>	<b>Automatically provide AFP message for a change of requested cruising level</b>	<b>From:</b>	<b>By:</b>
		01/03/2003	31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated flight plan information on airborne flights by means of AFP message. Provide the AFP in case of a change of requested cruising level. The SLoA refers to a permanent change of a Requested Cruising Level and not to flight level changes allocated on a tactical basis by ATC.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for changes of requested cruising level by the ANSP has been implemented.		

<b>FCM03-ASP13</b>	<b>Automatically provide AFP message for change of aircraft type</b>	<b>From:</b>	<b>By:</b>
		01/03/2003	31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated Flight Plan information on airborne flights by means of AFP message. Provide the AFP in case of a change of aircraft type.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		

<b>FCM03</b>	<b>Collaborative Flight Planning</b>
--------------	--------------------------------------

<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for changes of aircraft type by ANSP has been implemented.

<b>FCM03-ASP14</b>	<b>Automatically provide AFP message for change of aircraft equipment</b>	<b>From:</b> 01/03/2008	<b>By:</b> 31/12/2017
<b>Action by:</b>	<b>ANS Providers</b>		
<b>Description &amp; purpose:</b>	Automatically provide IFPS with updated Flight Plan information on airborne flights by means of AFP message. Provide the AFP in case of a change of aircraft equipment. The related AFP message must be provided in ADEXP format only.		
<b>Specific applicability:</b>	<a href="#">ECAC States, IFR/GAT only.</a>		
<b>Supporting material(s):</b>	EUROCONTROL - SPEC 107 - EUROCONTROL Specification for ATS Data Exchange Presentation (ADEXP) - Edition 3.2 / 12/2017 Url : <a href="https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp">https://www.eurocontrol.int/publication/eurocontrol-specification-ats-data-exchange-presentation-adexp</a>		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Transmission of AFP messages for changes of aircraft equipment by ANSP has been implemented.		

<b>FCM03-NM01</b>	<b>Integration of Automatic AFP in NM systems</b>	<b>From:</b> 01/01/2010	<b>By:</b> 31/12/2017
<b>Action by:</b>	<b>NM</b>		
<b>Description &amp; purpose:</b>	The automatic AFP messages should not be transmitted to IFPS without prior coordination and test validation by NM. NM should ensure the correctness of AFP messages by testing and validate them. If the testing is correct, the received AFP messages from a specific ASTC unit will be integrated in NM systems.		
<b>ATM Master Plan relationship:</b>	<a href="#">[NIMS-02]-Provision , reception and processing of collaborative flight plan updates</a>		
<b>Finalisation criteria:</b>	1 - Integration of AFP messages in NM systems		