

The AIS and MET information provided to pilots and dispatchers as pre-flight briefing products and services needs to become more user-friendly: easier to understand, better prioritised, with the aim to improve the pilot awareness and to reduce the workload. Traditionally, the pre-flight briefing takes the form of a “Pre-flight Information Bulletin (PIB), which may comprise up to 30-40 pages of NOTAM messages, all in upper case. Filtering and prioritisation are significantly limited by the free text nature of the NOTAM message. MET messages may be embedded in textual format as well, while weather maps are presented separately.

This implementation objective consists of an innovative approach to pilot briefing through the use of digital aeronautical data, in particular Digital NOTAM (encoded as “events” in AIXM format), and digital MET data (METAR, TAF, SIGMET in the ICAO iWXXM format). The AIS and MET information provided to pilots and dispatchers in the form of digital briefing products and services, will be merged (joint) with the geographical and planned flight trajectory information, and presented (visualised) in a graphical way.

The digital integrated briefing will introduce the following key changes:

- generation of the briefing products from digital aeronautical data (in particular from Digital NOTAM) instead of providing a list of NOTAM messages;
- extensive graphical presentation of the information that affects elements that are usually displayed on aeronautical maps (taxiway/runway/apron closures, nav aids unserviceable, temporary obstacles, airspace restrictions, etc.);
- use of normal sentence case for the textual/tabular part of the briefing;
- joint presentation of the aeronautical and MET events that may have a combined effect on the flight trajectory (such as airspace restrictions and significant weather);
- the possibility for interactive briefing, thus allowing the pilot/dispatcher to highlight/prioritise information that is more relevant for each individual flight.

The digital integrated briefing is currently targeted for ground use (FOC/WOC, pre-flight briefing rooms and ARO offices). Some enablers (Digital NOTAM and digital MET data) support the use in the cockpit, in all phases of flight, while enablers for transmission into the cockpit are not yet mature (see IS-0206 Digital Integrated Briefing during flight execution phase).


*NOTE: The following implementations like ‘Digital Aeronautical Data’, ‘Aeronautical Data Quality’, ‘Digital NOTAM’ are seen as prerequisite to the successful implementation of this INF09 objective. Their maturity/availability should be analysed before making INF09 an Active objective.*

*NOTE FOR MILITARY AUTHORITIES: It is the responsibility of each military authority to review this Objective IN ITS ENTIRETY and address each of the SLoAs that the military authority considers RELEVANT for itself. This has to be done on top and above of the review of “MIL” SLoAs which identify actions EXCLUSIVE to military authorities.*

<b>Edition</b>	2022
<b>Stakeholders</b>	Air Navigation Service Provider / International Organisations and Regional Bodies / Network Manager
<b>Type</b>	SESAR
<b>Scope</b>	Local
<b>Status</b>	Removed

## Context

### Related Elements



## Applicability Area(s) and Timescales

**Applicability area:** (Subject to local need)

Timescales	From	By	Applicable to
Subject to local needs	31-05-2019	-	

## Links to ATM Master Plan Level 2

### **OI** Operational Improvement Steps

Code	Title	IOC	FOC	Related Elements
<a href="#">IS-0205</a>	<a href="#">Digital Integrated Briefing for pre-flight phase</a>	31-12-2023	31-12-2030	<div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">SOL</div> <div style="border: 1px solid black; padding: 2px;">OI</div> <div style="border: 1px solid black; padding: 2px;">EN</div> <div style="border: 1px solid black; padding: 2px;">OBJ</div> <div style="border: 1px solid black; padding: 2px;">DS</div> <div style="border: 1px solid black; padding: 2px;">ICAO</div> </div>

### **SOL** Links to SESAR Solutions

Code	Title	Program	Related Elements
<a href="#">#34</a>	<a href="#">Digital Integrated Briefing</a>	SESAR1	<div style="display: flex; gap: 5px;"> <div style="border: 1px solid black; padding: 2px;">SOL</div> <div style="border: 1px solid black; padding: 2px;">OI</div> <div style="border: 1px solid black; padding: 2px;">OBJ</div> <div style="border: 1px solid black; padding: 2px;">DS</div> <div style="border: 1px solid black; padding: 2px;">EOC</div> <div style="border: 1px solid black; padding: 2px;">ICAO</div> </div>

### **PCP** Links to PCP ATM Sub-Functionalities

Code	Title	Related Elements
No record found		

**ICAO** ICAO Block Modules: No associated data

## References

### Applicable legislation

The EC implementing Regulation No 73/2010 (Aeronautical Data Quality) is going to be repealed by the EASA RMT.0477 for which EASA issued Opinion No 02/2018 (Specific requirements for providers of meteorological services, aeronautical information services/aeronautical information management) and which covers Digital NOTAM. ICAO Annex 3 Meteorological Service for International Air Navigation (including Amendment 77-A). ICAO Annex 15 Aeronautical Information Services Procedures for Air Navigation Services - Aeronautical Information Management (PANS-AIM)

### Applicable ICAO Annexes and other references

None

### Deployment Programme 2022

-


### Operating Environments

Airport  
Network

## Expected Performance Benefits

<b>Safety</b>	The issue of very large PIB (20-30 pages for a cross-European flight) is frequently mentioned by pilots as a difficulty when trying to comply with the legal obligation for reading and understanding all the NOTAM that can affect their flight, while they are also under time pressure to fulfil other pre-departure tasks. The graphical presentation of digital NOTAM data should facilitate the task of finding the relevant information (geospatial and temporal filtering) and understanding the aeronautical and meteorological information relevant for a specific flight. For example, a visual "work in progress" symbol on the airport map is much easier to spot as compared with the same information presented in the PIB text. This leads to a reduction in the number of incidents that are sometimes due to the lack of informational awareness, such as airspace infringements, attempts to use a closed runway or runway excursions, attempts to use a closed airport surface, temporary changes in operational procedures, etc.
<b>Capacity</b>	No
<b>Operational efficiency</b>	In terms of benefits, the graphical presentation of digital information, a better filtering and a more logical organisation of the pre-flight information bulletins improve pilot and dispatcher awareness, improve briefing efficiency and reduces the risk of information being misunderstood or missed.
<b>Cost efficiency</b>	no
<b>Environment</b>	No
<b>Security</b>	No

## Stakeholder Lines of Action

Code	Title	From	By	Related Enablers
ASP01	Update the systems to receive and distribute AIS and MET information electronically			
ASP02	Provide airspace users with pre-flight digital integrated briefing			
ASP03	Develop a local safety assessment			
INT01	Develop the standards for the use of digital NOTAM			
INT02	Develop regulatory material for the use of digital NOTAM			
NM01	Generate and provide pre-flight briefings based on digital data			

## Supporting Material

Title	Related SLoAs
<Publisher> - Specification for the provision of Digital NOTAM (INT01) / EUROCONTROL Specification for Digital NOTAM	ASP02, NM01
-	
SJU - SESAR Solution 34: Data Pack Digital integrated briefing <a href="https://www.sesarju.eu/sesar-solutions/digital-integrated-briefing">https://www.sesarju.eu/sesar-solutions/digital-integrated-briefing</a>	ASP02, NM01

## Consultation & Approval

<b>Working Arrangement in charge</b>	AIM / SWIM
<b>Outline description approved in</b>	-
<b>Latest objective review at expert level</b>	-
<b>Commitment Decision Body</b>	Provisional Council (PC)
<b>Objective approved/endorsed in</b>	05/2019
<b>Latest change to objective approved/endorsed in</b>	-